

Author index to volume 225

- Alekseyev, A.B., H.-P. Liebermann, G. Hirsch and R.J. Buenker, Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride 225 (1997) 247
- Allan, M., see Bulliard, C. 225 (1997) 153
- Beil, A., see Snels, M. 225 (1997) 107
- Belov, S.P., see Jabs, W. 225 (1997) 77
- Bonačić-Koutecký, V. and J. Pittner, Ab-initio study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters 225 (1997) 173
- Borden, W.T., see Bulliard, C. 225 (1997) 153
- Botschwina, P. and S. Schmatz, Coupled cluster calculations for three low-lying doublet states of linear C_{10}^- 225 (1997) 131
- Brandi, R., F. Santoro and C. Petrongolo, Ab initio study of NO_2 . VII. $\tilde{A}^2B_2 \leftarrow \tilde{X}^2A_1$ nonadiabatic Franck–Condon absorption spectrum 225 (1997) 55
- Bruna, P.J., G.H. Lushington and F. Grein, Stability, properties and electronic g -tensors of H_2CO^- as stabilized in $H_2CO \cdot Na$ complexes 225 (1997) 1
- Buenker, R.J., see Alekseyev, A.B. 225 (1997) 247
- Bulliard, C., M. Allan, J.M. Smith, D.A. Hrovat, W.T. Borden and S. Grimme, Singlet and triplet excited states of a pyramidalized alkene: Electron-energy-loss spectra, photoelectron spectra, and calculations of the excited states of tricyclo[3.3.3.0^{3,7}]undec-3(7)-ene 225 (1997) 153
- Bunker, P.R., see Osmann, G. 225 (1997) 33
- Burghardt, I. and P. Gaspard, Resonances in the photodissociation of CO_2 : periodic-orbit and wavepacket analyses 225 (1997) 259
- Buß, V., see Terstegen, F. 225 (1997) 163
- De Vivie-Riedle, R., S. Schulz, J. Höndorf and C.P. Schulz, Ultrafast excitation process in $NaNH_3$: a combined theoretical and experimental analysis 225 (1997) 299
- Döscher, M. and H. Köppel, Multiple surface intersections and strong nonadiabatic coupling effects between the \tilde{D}^2E_{1u} and \tilde{E}^2B_{2u} states of $C_6H_6^+$ 225 (1997) 93
- Engels, B., see Hanrath, M. 225 (1997) 197
- Engels, B., see Perić, M. 225 (1997) 63
- Gaspard, P., see Burghardt, I. 225 (1997) 259
- Grein, F., see Bruna, P.J. 225 (1997) 1
- Grimme, S., see Bulliard, C. 225 (1997) 153
- Hanrath, M. and B. Engels, New algorithms for an individually selecting MR-CI program 225 (1997) 197
- Hättig, C., see Stein, N. 225 (1997) 309

- Havenith, M., see Wienkoop, M. 225 (1997) 17
- Havenith, R.W.A., J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger, The lowest valence transitions of 1,1'-bicyclohexylidene and 1,1';4',1'-tercyclohexylidene. An *ab initio* MRDCI study 225 (1997) 139
- Hess, B.A., see Stein, N. 225 (1997) 309
- Hirsch, G., see Alekseyev, A.B. 225 (1997) 247
- Höhdorf, J., see de Vivie-Riedle, R. 225 (1997) 299
- Hollenstein, H., see Snels, M. 225 (1997) 107
- Hoogesteger, F.J., see Havenith, R.W.A. 225 (1997) 139
- Hrovat, D.A., see Bulliard, C. 225 (1997) 153
- Ishikawa, Y., K. Koc and W.H.E. Schwarz, The use of Gaussian spinors in relativistic electronic structure calculations: the effect of the boundary of the finite nucleus of uniform proton charge distribution 225 (1997) 239
- Jabs, W., M. Winnewisser, S.P. Belov, T. Klaus and G. Winnewisser, The 7Q_1 branch of carbodiimide, HNCNH, at 1.1 THz 225 (1997) 77
- Jenneskens, L.W., see Havenith, R.W.A. 225 (1997) 139
- Jensen, P., see Osmann, G. 225 (1997) 33
- Klaus, T., see Jabs, W. 225 (1997) 77
- Koc, K., see Ishikawa, Y. 225 (1997) 239
- Köppel, H., see Döscher, M. 225 (1997) 93
- Kraemer, W.P., see Osmann, G. 225 (1997) 33
- Kutzelnigg, W., Relativistic one-electron Hamiltonians 'for electrons only' and the variational treatment of the Dirac equation 225 (1997) 203
- Liebermann, H.-P., see Alekseyev, A.B. 225 (1997) 247
- Lushington, G.H., see Bruna, P.J. 225 (1997) 1
- Marian, C.M., see Rakowitz, F. 225 (1997) 223
- Mürtz, P., see Wienkoop, M. 225 (1997) 17
- Osmann, G., P.R. Bunker, P. Jensen and W.P. Kraemer, A theoretical calculation of the absorption spectrum of CH_2^+ 225 (1997) 33
- Ostojić, B., see Perić, M. 225 (1997) 63
- Perić, M., B. Ostojić, B. Schäfer and B. Engels, *Ab initio* treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations 225 (1997) 63
- Petrongolo, C., see Brandi, R. 225 (1997) 55
- Pittner, J., see Bonačić-Koutecký, V. 225 (1997) 173
- Quack, M., see Snels, M. 225 (1997) 107
- Rakowitz, F. and C.M. Marian, An extrapolation scheme for spin-orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride 225 (1997) 223

- Santoro, F., see Brandi, R. 225 (1997) 55
- Schaefer III, H.F., see Yamaguchi, Y. 225 (1997) 23
- Schäfer, B., see Perić, M. 225 (1997) 63
- Schmatz, S., see Botschwina, P. 225 (1997) 131
- Schulz, C.P., see de Vivie-Riedle, R. 225 (1997) 299
- Schulz, S., see de Vivie-Riedle, R. 225 (1997) 299
- Schumann, P.-C., see Wienkoop, M. 225 (1997) 17
- Schwarz, W.H.E., see Ishikawa, Y. 225 (1997) 239
- Smith, J.M., see Bulliard, C. 225 (1997) 153
- Snels, M., A. Beil, H. Hollenstein and M. Quack, Excited vibrational states of benzene: High resolution FTIR spectra and analysis of some out-of-plane vibrational fundamentals of C_6H_5D 225 (1997) 107
- Stein, N., C. Hättig and B.A. Hess, Calculation of total photoabsorption cross sections of Ar, Kr, N_2 and CO 225 (1997) 309
- Terstegen, F. and V. Buß, Geometries and interconversion pathways of free and protonated β -ionone Schiff bases. An *ab initio* study of photoreceptor chromophore model compounds 225 (1997) 163
- Urban, W., see Wienkoop, M. 225 (1997) 17
- Van Lenthe, J.H., see Havenith, R.W.A. 225 (1997) 139
- Whitten, J.L., Photodissociation of methane on platinum 225 (1997) 189
- Wienkoop, M., P. Mürzt, P.-C. Schumann, M. Havenith and W. Urban, First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy 225 (1997) 17
- Winnewisser, G., see Jabs, W. 225 (1997) 77
- Winnewisser, M., see Jabs, W. 225 (1997) 77
- Yamaguchi, Y. and H.F. Schaefer III, An *ab initio* study on the four electronically lowest-lying states of CH_2 using the state-averaged complete active space second-order configuration interaction method 225 (1997) 23



Subject index to volume 225

Methods and constructs

Theoretical

Computational methods for electronic structure

- An *ab initio* study on the four electronically lowest-lying states of CH₂ using the state-averaged complete active space second-order configuration interaction method, Y. Yamaguchi and H.F. Schaefer III 225 (1997) 23
- Coupled cluster calculations for three low-lying doublet states of linear C₁₀⁻, P. Botschwina and S. Schmatz 225 (1997) 131
- The lowest valence transitions of 1,1'-bicyclohexylidene and 1,1';4',1'-tercyclohexylidene. An *ab initio* MRDCI study, R.W.A. Havenith, J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger 225 (1997) 139
- Geometries and interconversion pathways of free and protonated β-ionone Schiff bases. An *ab initio* study of photoreceptor chromophore model compounds, F. Terstegen and V. Buß 225 (1997) 163
- New algorithms for an individually selecting MR-CI program, M. Hanrath and B. Engels 225 (1997) 197
- An extrapolation scheme for spin-orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride, F. Rakowitz and C.M. Marian 225 (1997) 223
- Calculation of total photoabsorption cross sections of Ar, Kr, N₂ and CO, N. Stein, C. Hättig and B.A. Hess 225 (1997) 309
- CI and valence bond approach*
- Stability, properties and electronic *g*-tensors of H₂CO⁻ as stabilized in H₂CO · Na complexes, P.J. Bruna, G.H. Lushington and F. Grein 225 (1997) 1
- The lowest valence transitions of 1,1'-bicyclohexylidene and 1,1';4',1'-tercyclohexylidene. An *ab initio* MRDCI study, R.W.A. Havenith, J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger 225 (1997) 139
- Ab-initio study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters, V. Bonačić-Koutecký and J. Pittner 225 (1997) 173
- Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189
- An extrapolation scheme for spin-orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride, F. Rakowitz and C.M. Marian 225 (1997) 223
- Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 225 (1997) 247

- Ultrafast excitation process in NaNH_3 : a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höndorf and C.P. Schulz 225 (1997) 299
- density functional theory*
- Singlet and triplet excited states of a pyramidalized alkene: Electron-energy-loss spectra, photoelectron spectra, and calculations of the excited states of tricyclo[3.3.3.0^{3,7}]undec-3(7)-ene, C. Bulliard, M. Allan, J.M. Smith, D.A. Hrovat, W.T. Borden and S. Grimme 225 (1997) 153
- Relativistic electronic structure theory*
- Relativistic one-electron Hamiltonians 'for electrons only' and the variational treatment of the Dirac equation, W. Kutzelnigg 225 (1997) 203
- An extrapolation scheme for spin-orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride, F. Rakowitz and C.M. Marian 225 (1997) 223
- The use of Gaussian spinors in relativistic electronic structure calculations: the effect of the boundary of the finite nucleus of uniform proton charge distribution, Y. Ishikawa, K. Koc and W.H.E. Schwarz 225 (1997) 239
- Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 225 (1997) 247
- Wavefunctions for highly excited and unbound states*
- A theoretical calculation of the absorption spectrum of CH_2^+ , G. Osmann, P.R. Bunker, P. Jensen and W.P. Kraemer 225 (1997) 33
- Ab initio study of NO_2 . VII. $\tilde{A}^2\text{B}_2 \leftarrow \tilde{X}^2\text{A}_1$ nonadiabatic Franck-Condon absorption spectrum, R. Brandi, F. Santoro and C. Petrongolo 225 (1997) 55
- Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189
- Calculation of total photoabsorption cross sections of Ar, Kr, N_2 and CO, N. Stein, C. Hättig and B.A. Hess 225 (1997) 309
- Collisional and reactive molecular dynamics with non-frictional forces*
- Resonances in the photodissociation of CO_2 : periodic-orbit and wavepacket analyses, I. Burghardt and P. Gaspard 225 (1997) 259
- Intramolecular dynamics*
- Ab initio treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations, M. Perić, B. Ostojić, B. Schäfer and B. Engels 225 (1997) 63
- Multiple surface intersections and strong nonadiabatic coupling effects between the $\tilde{D}^2\text{E}_{1u}$ and $\tilde{E}^2\text{B}_{2u}$ states of C_6H_6^+ , M. Döschner and H. Köppel 225 (1997) 93
- Excited vibrational states of benzene: High resolution FTIR spectra and analysis of some out-of-plane vibrational fundamentals of $\text{C}_6\text{H}_5\text{D}$, M. Snels, A. Beil, H. Hollenstein and M. Quack 225 (1997) 107
- Geometries and interconversion pathways of free and protonated β -ionone Schiff bases. An ab initio study of photoreceptor chromophore model compounds, F. Terstegen and V. Buß 225 (1997) 163
- Ultrafast excitation process in NaNH_3 : a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höndorf and C.P. Schulz 225 (1997) 299

Experiment

Magnetic resonances

- First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy, M. Wienkoop, P. Mürtz, P.-C. Schumann, M. Havenith and W. Urban 225 (1997) 17

-Molecular spectroscopy

- Ab initio* treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations, M. Perić, B. Ostojić, B. Schäfer and B. Engels 225 (1997) 63

-terahertz

- The ${}^{\nu}Q_1$ branch of carbodiimide, HNCNH, at 1.1 THz, W. Jabs, M. Winnewisser, S.P. Belov, T. Klaus and G. Winnewisser 225 (1997) 77

-infrared

- First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy, M. Wienkoop, P. Mürtz, P.-C. Schumann, M. Havenith and W. Urban 225 (1997) 17
- Excited vibrational states of benzene: High resolution FTIR spectra and analysis of some out-of-plane vibrational fundamentals of C₆H₅D, M. Snels, A. Beil, H. Hollenstein and M. Quack 225 (1997) 107

-UV

- Singlet and triplet excited states of a pyramidalized alkene: Electron-energy-loss spectra, photoelectron spectra, and calculations of the excited states of tricyclo[3.3.3.0^{3,7}]undec-3(7)-ene, C. Bulliard, M. Allan, J.M. Smith, D.A. Hrovat, W.T. Borden and S. Grimme 225 (1997) 153
- Resonances in the photodissociation of CO₂: periodic-orbit and wavepacket analyses, I. Burghardt and P. Gaspard 225 (1997) 259

Electron impact spectroscopy

- Singlet and triplet excited states of a pyramidalized alkene: Electron-energy-loss spectra, photoelectron spectra, and calculations of the excited states of tricyclo[3.3.3.0^{3,7}]undec-3(7)-ene, C. Bulliard, M. Allan, J.M. Smith, D.A. Hrovat, W.T. Borden and S. Grimme 225 (1997) 153

Ultrafast measurements

- Ultrafast excitation process in NaNH₃: a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höndorf and C.P. Schulz 225 (1997) 299

Objects

Bulk systems

Gases

- First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy, M. Wienkoop, P. Mürtz, P.-C. Schumann, M. Havenith and W. Urban 225 (1997) 17
- Ab initio* treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations, M. Perić, B. Ostojić, B. Schäfer and B. Engels 225 (1997) 63

Surfaces

- Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189

Microscopic and mesoscopic systems*Single atoms, molecules and assemblies (incl. biological)*

- The use of Gaussian spinors in relativistic electronic structure calculations: the effect of the boundary of the finite nucleus of uniform proton charge distribution, Y. Ishikawa, K. Koc and W.H.E. Schwarz 225 (1997) 239

Molecules (neutral and ionic)

- New algorithms for an individually selecting MR-CI program, M. Hanrath and B. Engels 225 (1997) 197
Calculation of total photoabsorption cross sections of Ar, Kr, N₂ and CO, N. Stein, C. Hättig and B.A. Hess 225 (1997) 309

-diatomic

- First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy, M. Wienkoop, P. Mürztz, P.-C. Schumann, M. Havenith and W. Urban 225 (1997) 17
An extrapolation scheme for spin-orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride, F. Rakowitz and C.M. Marian 225 (1997) 223
Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 225 (1997) 247

-small polyatomics

- An *ab initio* study on the four electronically lowest-lying states of CH₂ using the state-averaged complete active space second-order configuration interaction method, Y. Yamaguchi and H.F. Schaefer III 225 (1997) 23
A theoretical calculation of the absorption spectrum of CH₂⁺, G. Osmann, P.R. Bunker, P. Jensen and W.P. Kraemer 225 (1997) 33
Ab initio treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations, M. Perić, B. Ostojić, B. Schäfer and B. Engels 225 (1997) 63
The ⁷Q₁ branch of carbodiimide, HNCNH, at 1.1 THz, W. Jabs, M. Winnewisser, S.P. Belov, T. Klaus and G. Winnewisser 225 (1997) 77
Coupled cluster calculations for three low-lying doublet states of linear C₁₀⁻, P. Botschwina and S. Schmatz 225 (1997) 131
Resonances in the photodissociation of CO₂: periodic-orbit and wavepacket analyses, I. Burghardt and P. Gaspard 225 (1997) 259

-aromatics

- Multiple surface intersections and strong nonadiabatic coupling effects between the \tilde{D}^2E_{1u} and \tilde{E}^2B_{2u} states of C₆H₆⁺, M. Döschner and H. Köppel 225 (1997) 93
Excited vibrational states of benzene: High resolution FTIR spectra and analysis of some out-of-plane vibrational fundamentals of C₆H₅D, M. Snels, A. Beil, H. Hollenstein and M. Quack 225 (1997) 107

Molecular aggregates

- Ab-initio* study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters, V. Bonačić-Koutecký and J. Pittner 225 (1997) 173

- Ultrafast excitation process in NaNH_3 : a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höhdorf and C.P. Schulz 225 (1997) 299

Free radicals (incl. hydronium and muonium)

- An *ab initio* study on the four electronically lowest-lying states of CH_2 using the state-averaged complete active space second-order configuration interaction method, Y. Yamaguchi and H.F. Schaefer III 225 (1997) 23

- Ab initio study of NO_2 . VII. $\tilde{A}^2B_2 \leftarrow \tilde{X}^2A_1$ nonadiabatic Franck-Condon absorption spectrum, R. Brandi, F. Santoro and C. Petrongolo 225 (1997) 55

- Multiple surface intersections and strong nonadiabatic coupling effects between the \tilde{D}^2E_{1u} and \tilde{E}^2B_{2u} states of C_6H_6^+ , M. Döschner and H. Köppel 225 (1997) 93

Defects and impurities

- Ab-initio study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters, V. Bonačić-Koutecký and J. Pittner 225 (1997) 173

Ions and charge carriers

- Stability, properties and electronic *g*-tensors of H_2CO^- as stabilized in $\text{H}_2\text{CO} \cdot \text{Na}$ complexes, P.J. Bruna, G.H. Lushington and F. Grein 225 (1997) 1

Phenomena

Molecular structure

- An *ab initio* study on the four electronically lowest-lying states of CH_2 using the state-averaged complete active space second-order configuration interaction method, Y. Yamaguchi and H.F. Schaefer III 225 (1997) 23

- Geometries and interconversion pathways of free and protonated β -ionone Schiff bases. An *ab initio* study of photoreceptor chromophore model compounds, F. Terstegen and V. Buß 225 (1997) 163

- Ab-initio study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters, V. Bonačić-Koutecký and J. Pittner 225 (1997) 173

Vibrations and rotations of molecules

- First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy, M. Wienkoop, P. Mürtz, P.-C. Schumann, M. Havenith and W. Urban 225 (1997) 17

- Ab initio study of NO_2 . VII. $\tilde{A}^2B_2 \leftarrow \tilde{X}^2A_1$ nonadiabatic Franck-Condon absorption spectrum, R. Brandi, F. Santoro and C. Petrongolo 225 (1997) 55

- Ab initio treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations, M. Perić, B. Ostojić, B. Schäfer and B. Engels 225 (1997) 63

- Geometries and interconversion pathways of free and protonated β -ionone Schiff bases. An *ab initio* study of photoreceptor chromophore model compounds, F. Terstegen and V. Buß 225 (1997) 163

Surface chemical physics

-adsorption

- Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189

-surface excitations

- Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189

-surface reactions

- Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189

Electronic structure and states

- An *ab initio* study on the four electronically lowest-lying states of CH₂ using the state-averaged complete active space second-order configuration interaction method, Y. Yamaguchi and H.F. Schaefer III 225 (1997) 23
- A theoretical calculation of the absorption spectrum of CH₂⁺, G. Osmann, P.R. Bunker, P. Jensen and W.P. Kraemer 225 (1997) 33
- Excited vibrational states of benzene: High resolution FTIR spectra and analysis of some out-of-plane vibrational fundamentals of C₆H₅D, M. Snels, A. Beil, H. Hollenstein and M. Quack 225 (1997) 107
- Coupled cluster calculations for three low-lying doublet states of linear C₁₀⁻, P. Botschwina and S. Schmatz 225 (1997) 131
- The lowest valence transitions of 1,1'-bicyclohexylidene and 1,1';4',1'-tercyclohexylidene. An *ab initio* MRDCI study, R.W.A. Havenith, J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger 225 (1997) 139
- Singlet and triplet excited states of a pyramidalized alkene: Electron-energy-loss spectra, photoelectron spectra, and calculations of the excited states of tricyclo[3.3.3.0^{3,7}]undec-3(7)-ene, C. Bulliard, M. Allan, J.M. Smith, D.A. Hrovat, W.T. Borden and S. Grimme 225 (1997) 153
- Ab-initio study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters, V. Bonačić-Koutecký and J. Pittner 225 (1997) 173
- New algorithms for an individually selecting MR-CI program, M. Hanrath and B. Engels 225 (1997) 197
- Relativistic one-electron Hamiltonians 'for electrons only' and the variational treatment of the Dirac equation, W. Kutzelnigg 225 (1997) 203
- An extrapolation scheme for spin-orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride, F. Rakowitz and C.M. Marian 225 (1997) 223
- The use of Gaussian spinors in relativistic electronic structure calculations: the effect of the boundary of the finite nucleus of uniform proton charge distribution, Y. Ishikawa, K. Koc and W.H.E. Schwarz 225 (1997) 239
- Ultrafast excitation process in NaNH₃: a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höndorf and C.P. Schulz 225 (1997) 299

Electric and magnetic properties

- Stability, properties and electronic g-tensors of H₂CO⁻ as stabilized in H₂CO · Na complexes, P.J. Bruna, G.H. Lushington and F. Grein 225 (1997) 1

Spin splittings

- Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 225 (1997) 247

Optical activity

- The lowest valence transitions of 1,1'-bicyclohexylidene and 1,1';4',1'-tercyclohexylidene. An *ab initio* MRDCI study, R.W.A. Havenith, J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger 225 (1997) 139

Spectral bandshapes and intensities

- The 1Q_1 branch of carbodiimide, HNCNH, at 1.1 THz, W. Jabs, M. Winnewisser, S.P. Belov, T. Klaus and G. Winnewisser 225 (1997) 77
- The lowest valence transitions of 1,1'-bicyclohexylidene and 1,1';4',1'-tercyclohexylidene. An ab initio MRDCI study, R.W.A. Havenith, J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger 225 (1997) 139
- Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 225 (1997) 247

Coupling of electronic and nuclear motion

- Ab initio study of NO₂. VII. $\tilde{A}^2B_2 \leftarrow \tilde{X}^2A_1$ nonadiabatic Franck-Condon absorption spectrum, R. Brandi, F. Santoro and C. Petrongolo 225 (1997) 55
- Multiple surface intersections and strong nonadiabatic coupling effects between the \tilde{D}^2E_{1u} and \tilde{E}^2B_{2u} states of C₆H₆⁺, M. Döschner and H. Köppel 225 (1997) 93

Molecular photophysical processes

- Resonances in the photodissociation of CO₂: periodic-orbit and wavepacket analyses, I. Burghardt and P. Gaspard 225 (1997) 259

Intramolecular dynamics

- Ultrafast excitation process in NaNH₃: a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höhndorf and C.P. Schulz 225 (1997) 299

-radiationless transitions

- Multiple surface intersections and strong nonadiabatic coupling effects between the \tilde{D}^2E_{1u} and \tilde{E}^2B_{2u} states of C₆H₆⁺, M. Döschner and H. Köppel 225 (1997) 93

Reactions (incl. dissociation)

- Resonances in the photodissociation of CO₂: periodic-orbit and wavepacket analyses, I. Burghardt and P. Gaspard 225 (1997) 259

Ionization (incl. Rydberg states)

- Calculation of total photoabsorption cross sections of Ar, Kr, N₂ and CO, N. Stein, C. Hättig and B.A. Hess 225 (1997) 309